

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 / TB-500 - 20mg

Tested for: Golden State peps

COA #: COA-2026-ZE3XMF
Lot Number: LOT-2026-02
Labeled Content: 20mg
Volume: 3mL

Analysis Date: 08/12/2026
Appearance: Good
Volume: 3mL
Date Received: 07/30/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: PZ38AEDY

Method: Blend Purity, Identity & Quantitation (HPLC)

Identity

BPC-157 / TB-500

Peptide Purity

99.82%



Fentanyl
Free


Blend Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.82%	%	PASS
Net Blend Peptide Content	Report Only	20.89	mg	N/A
-- BPC-157		10.65	mg	
-- TB-500		10.24	mg	
Identity (HPLC-RTM)	BPC-157 + TB-500	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



BPC-157 / TB-500 20mg -
LOT-2026-02

HPLC Chromatogram



BPC-157 / TB-500 20mg - LOT-2026-02: UV Chromatogram

Notes & Methodology

- Date Tested: 08/12/2026. Methods: Blend Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be BPC-157 / TB-500 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (BPC-157, TB-500). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
8/12/2026

COA #: COA-2026-ZE3XMF
Access Code: PZ38AEDY
Verify: portal.ils-lab.com
Issued: 8/12/2026